


# Micrometer head with counter

Micrometer head with an easy read-out at 0.01 mm by means of the counter mechanism.

- Measuring range: 0 - 25 mm.
- Resolution: 0.01 mm.
- Accuracy:  $\pm 0.003$  mm.
- Numerical counter adjustable.
- Rotating spindle:  $\phi 6.5$  mm.
- Tungsten carbide measuring face.
- Delivery with adjustment tool.





Item No.	Measuring range/mm	Spindle $\phi$ /mm
906.543	0 - 25	6.5

# Micrometer heads

- Measuring range: 0 - 25 mm.
- Graduation: 0.01 mm or vernier 0.002 mm.



906.072



906.070

Item No.	Measuring range/mm	Graduation mm	Accuracy mm	Spindle $\phi$ /mm	Dimensions/mm clamping	D1	L1	L2
<b>Without friction thimble, steel measuring face:</b>								
906.070	0 - 6.5	0.01	$\pm 0.005$	3.5 (flat)	$\phi 6 \times 6$	$\phi 10$	23	14
906.074	0 - 6.5	0.01	$\pm 0.005$	3.5 (spherical)	$\phi 6 \times 6$	$\phi 10$	23	14
906.071	0 - 13	0.01	$\pm 0.004$	5.0 (flat)	$\phi 9.5 \times 9.5$	$\phi 14$	33	26
<b>Friction thimble with spring click in measuring thimble, tungsten carbide measuring face:</b>								
906.072	0 - 25	0.01	$\pm 0.003$	6.5 (flat)	$\phi 12 \times 17$	$\phi 19$	65	46
906.073	0 - 25	0.002	$\pm 0.003$	6.5 (flat)	$\phi 12 \times 17$	$\phi 19$	65	46